

**Play value**

People and in particular children get a lot of enjoyment out of diverting the flow of water, making it flow faster or slower or damming it. The playing observer is able to experience different impressions from the shapes that form during the process.

**Fundamental characteristics**

- Easy handling
- Sturdy construction

**Recommended for**

- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar
- Water play areas without supervision




Order No. 5.28045 Canal Lock


**River Fork Canal Lock**



Order No. 5.28040 River Fork






5.28040






5.28045

**Order No. 5.28040**  
**River Fork**

Safety distance   
Device dimensions   
Functional distance 



**Order No. 5.28045**  
**Canal Lock**



Scale 1:20

**Technical information**

Equipment made of stainless steel, glass-bead blasted and made of impact-resistant, coloured-through PUR plastic parts, black

**Ground anchor**

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



**For more detailed explanation of the quality characteristics see price list.**

**Order No. 5.28045**

**Canal Lock**

Gates made of PUR plastic, black secured against theft with chains. Short link chains made of V2A

**Dimensions**

(small deviations possible)

**Order No. 5.28040**

**River Fork**

Height	0.20 m
Width	0.40 m
Damming height	0.15 m
Weight	11 kg

**Order No. 5.28045**

**Canal Lock**

Height	0.15 m
Width	0.55 m
Length	0.60 m
Damming height	0.15 m
Weight	42 kg

**Components**

1 Part each  
**Registered Design**  
40 2020 202 219.9 Germany

**Installation information**

Surfacing requirements  
Recommendation: Surface of reinforced watercourse.

All equipment can be easily installed into any artificial watercourse.

Foundations  
According to installation situation.


**Attention:**

**Exact measurements may vary; for all installation dimensions refer to current assembly instructions.**


Technical changes reserved.

**For use in aggressive environments such as salt or chlorine water, the equipment is also available in marine grade steel (V4A).**

Safety check according to DIN EN 1176



5.28040



5.28045