



Order No. 4.60170 Seal, concrete grey



Order No. 4.70070 Small Turtle, concrete grey

Play value

The gentle nature of these play and art figures and their quiet expressions create an atmosphere of peace which facilitates a friendly encounter with the animals. The stone animals are ideal to stroke, touch and feel or incorporated into role-play games. Play figures such as these strengthen the identity of an area.

Fundamental characteristics

- Child-oriented dimensions
- Natural colours
- High-quality design
- Completely dyed special concrete
- Incentive for playing: animals with a friendly appearance
- Movement: climbing, sitting, stroking

Recommended for

- Children under 3 years
- Kindergarten children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar

Barrier-free

- Independent play

Note


Original colours and surface structure may deviate from the colours in the pictures.

Stroking Stones




4.60010 - 4.65070


Order No.
4.60010 - 4.60070
Big Sitting Cat




Order No.
4.60110 - 4.60170
Seal




Order No.
4.61010 - 4.61070
Small Resting Cat




Order No.
4.62010 - 4.62070
Resting Cat




Order No.
4.63010 - 4.63070
Frog



Order No.
4.64010 - 4.64070
Turtle



Order No.
4.65010 - 4.65070
Pony



Safety distance →
Device dimensions —●—
Functional distance —|—

Scale 1:50

Safety check according to DIN EN 1176

Components

- 1 Stroking stone, packed in one box



4.60010 - 4.65070

Technical information

All Stroking Stones are made of special concrete, which is completely dyed before processing. After the concrete has cured, the surface is given a stone-like finish in a further processing step. Slight irregularities and the formation of bubbles can occur when processing concrete due to conditions of production. The colour examples displayed should be understood as approximate values. Discolorations and shading are possible. Moreover, slight lime bloom cannot be entirely ruled out.

Standard colours



Colour samples are for guidance only, the actual colours will be slightly different!

Dimensions

(small deviations possible)

Order No.	Height	Width	Length
4.60010 ff.	0.85 m	0.68 m	0.96 m
4.60110 ff.	0.43 m	0.58 m	0.86 m
4.61010 ff.	0.47 m	0.30 m	0.42 m
4.62010 ff.	0.48 m	0.54 m	0.97 m
4.63010 ff.	0.65 m	0.73 m	1.02 m
4.64010 ff.	0.47 m	0.80 m	1.36 m
4.65010 ff.	0.85 m	0.45 m	1.20 m

Order No.	Weight (without box)
4.60010 ff.	570 kg
4.60110 ff.	115 kg
4.61010 ff.	75 kg
4.62010 ff.	325 kg
4.63010 ff.	440 kg
4.64010 ff.	519 kg
4.65010 ff.	450 kg

Installation information

Surfacing requirements
firm and level
Recommendation:
circumferential operational space 1.00 m

Foundations
Foundations are usually not necessary for the big animals due to their heavy weight. If required, threaded bushes have been cast into the underside of all stroking stones for the purpose of installation. Due to the heavy weight of the animals, it must be possible to access the location by means of lifting equipment.

Attention:
Exact measurements may vary; for all installation dimensions refer to current assembly instructions.
Technical changes reserved.



Order No. 4.74070 Snail, concrete gray



Order No. 4.66060 Dog, charcoal

Note
Original colours and surface structure may deviate from the colours in the pictures.




Order No.. 4.73020 Lop-eared Rabbit, brown

Stroking Stones




4.66010 - 4.74070


Order No.
4.66010 - 4.66070
Dog




Order No.
4.68010 - 4.68070
Chicken



Order No.
4.69010 - 4.69070
Bear




Order No.
4.70010 - 4.70070
Small Turtle




Order No.
4.71010 - 4.71070
Small Sitting Cat




Order No.
4.72010 - 4.72070
Small Crocodile



Order No.
4.73010 - 4.73070
Lop-eared Rabbit



Order No.
4.74010 - 4.74070
Snail



Safety distance →
 Device dimensions —●—
 Functional distance —|—

Scale 1:50

Safety check according to DIN EN 1176

Components

- 1 Stroking stone, packed in one box



4.66010 - 4.74070

Technical information

All Stroking Stones are made of special concrete, which is completely dyed before processing. After the concrete has cured, the surface is given a stone-like finish in a further processing step. Slight irregularities and the formation of bubbles can occur when processing concrete due to conditions of production. The colour examples displayed should be understood as approximate values. Discolorations and shading are possible. Moreover, slight lime bloom cannot be entirely ruled out.

Standard colours



Colour samples are for guidance only, the actual colours will be slightly different!

Dimensions

(small deviations possible)

Order No.	Height	Width	Length
4.66010 ff.	0,68 m	0,40 m	1,30 m
4.68010 ff.	0,60 m	0,55 m	0,80 m
4.69010 ff.	0,91 m	0,74 m	0,85 m
4.70010 ff.	0,17 m	0,30 m	0,52 m
4.71010 ff.	0,20 m	0,22 m	0,44 m
4.72010 ff.	0,24 m	0,50 m	1,00 m
4.73010 ff.	0,58 m	0,45 m	0,80 m
4.74010 ff.	0,45 m	0,48 m	1,10 m

Order No.	Weight (without box)
4.66010 ff.	450 kg
4.68010 ff.	300 kg
4.69010 ff.	580 kg
4.70010 ff.	50 kg
4.71010 ff.	22 kg
4.72010 ff.	125 kg
4.73010 ff.	300 kg
4.74010 ff.	225 kg

Installation information

Surfacing requirements
 firm and level
 Recommendation:
 circumferential operational space 1.00 m

Foundations
 Foundations are usually not necessary for the big animals due to their heavy weight. If required, threaded bushes have been cast into the underside of all stroking stones for the purpose of installation. Due to the heavy weight of the animals, it must be possible to access the location by means of lifting equipment.

Attention:
Exact measurements may vary; for all installation dimensions refer to current assembly instructions.
 Technical changes reserved.